

Amendments to the Claims under Revised 37 C.F.R. 1.121

Claims 1-8 (canceled)

Claim 9 (previously amended): A polypeptide having an amino acid sequence as set forth in SEQ ID NO: 5 produced by a process comprising:

(a) culturing a host cell containing a vector comprising a nucleic acid having a nucleotide sequence:

(i) as set forth in SEQ ID NO. 4;

(ii) of a DNA insert encoding a Secs-1 polypeptide in ATCC Deposit No.

PTA-1755; or

(iii) encoding a polypeptide having an amino acid sequence as set forth in SEQ ID NO. 5;

under conditions suitable to express the polypeptide; and optionally

(b) isolating the polypeptide from the culture.

Claims 10-12 (canceled)

Claim 13 (previously amended): An isolated polypeptide comprising an amino acid sequence:

(a) as set forth in SEQ ID NO: 5; or

(b) encoded by a DNA insert encoding a Secs-1 polypeptide in ATCC Deposit No.

PTA-1755.

Claim 14 (previously amended): An isolated polypeptide comprising:

(a) an amino acid sequence as set forth in SEQ ID NO: 6, optionally further comprising an amino-terminal methionine; or

(b) a fragment of the amino acid sequence set forth in SEQ ID NO: 5 comprising at least about 25 amino acid residues, but not more than 80 amino acid residues, wherein upon injection into an animal the fragment produces an antibody that binds to the polypeptide set forth in SEQ ID NO: 5.

Claim 15 (currently amended): An isolated polypeptide comprising the amino acid sequence:

Met Arg Leu Leu Xaa Leu Ser Xaa Leu Xaa Xaa Xaa Leu Xaa Leu Cys Xaa Xaa Xaa  
Xaa Ser Xaa Glu Gly Xaa Xaa Xaa Pro Ala Lys Xaa Xaa Xaa Xaa Arg Xaa Xaa Xaa Xaa  
Xaa Cys His Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Gly Xaa His Xaa Arg Xaa  
Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Trp Val Val Pro Gly Ala Leu Pro  
Gln Xaa (SEQ ID NO: 22),

wherein the residue at position 12 may be either methionine or isoleucine;

the residue at position 18 may be either cysteine or serine;

the residue at position 19 may be either isoleucine or valine;

the residue at position 22 may be either serine or threonine;

the residue at any of positions 25, 26, 61, or 64 may be either arginine or lysine;

the residue at position 27 may be either histidine or arginine;

the residue at position 51 may be either threonine or asparagine;

the residue at position 55 may be either asparagine or histidine;

the residue at position 81 may be either isoleucine or valine;

the residue at any of positions 5, 8, 10, 11, 14, 17, 20, 31, 32, 33, 34, 36, 40, 43, 44, 46, 47, 48, 49, 50, 52, 57, 59, 62, 66, 67, 68, 69, 70, or 71 may be any naturally occurring amino acid; and

the residue at any of positions 37, 38, 39, or 65 may be any naturally occurring amino acid or may be absent.

Claim 16 (previously amended): An isolated polypeptide encoded by a nucleic acid molecule comprising a nucleotide sequence:

(a) as set forth in SEQ ID NO: 4;

(b) of a DNA insert encoding a Secs-1 polypeptide in ATCC Deposit No. PTA-1755;

or

(c) encoding a polypeptide having an amino acid sequence as set forth in SEQ ID NO:

5.

Claim 17-45 (canceled)

Claim 46 (original): A fusion polypeptide comprising the polypeptide of any of Claims 13, 14, or 15 fused to a heterologous amino acid sequence.

Claim 47 (original): The fusion polypeptide of Claim 46, wherein the heterologous amino acid sequence is an IgG constant domain or fragment thereof.

Claims 48-56 (canceled)

Sub F19  
Claim 57 (previously amended): A polypeptide produced by a process comprising  
(a) culturing a host cell containing a vector comprising a nucleic acid molecule having a nucleotide sequence of a region of the nucleotide sequence of:

- (i) SEQ ID NO: 4; or
- (ii) a DNA insert encoding a Secs-1 polypeptide in ATCC Deposit No. PTA-1755;

wherein the nucleic acid molecule encodes the polypeptide which is produced, the polypeptide is a fragment of at least about 25 amino acid residues, but not more than 80 amino acid residues, and wherein the polypeptide fragment upon injection into an animal produces an antibody that binds to the polypeptide set forth in SEQ ID NO: 5;

under suitable conditions to express the polypeptide; and optionally

- (b) isolating the polypeptide from the culture.

SR 5/13/03  
Claim 58 (currently previously amended): A polypeptide produced by a process comprising:

- (a) culturing a host cell containing a vector comprising a nucleic acid molecule having a nucleotide sequence encoding a polypeptide having the amino acid sequence:

Met Arg Leu Leu Xaa Leu Ser Xaa Leu Xaa Xaa Xaa Leu Xaa Leu Cys Xaa Xaa  
Xaa Xaa Ser Xaa Glu Gly Xaa Xaa Xaa Pro Ala Lys Xaa Xaa Xaa Xaa Arg Xaa  
Xaa Xaa Xaa Xaa Cys His Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Gly

Xaa His Xaa Arg Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Trp  
Val Val Pro Gly Ala Leu Pro Gln Xaa (SEQ ID NO: 22),

wherein the residue at position 12 may be either methionine or isoleucine;  
the residue at position 18 may be either cysteine or serine;  
the residue at position 19 may be either isoleucine or valine;  
the residue at position 22 may be either serine or threonine;  
the residue at any of positions 25, 26, 61, or 64 may be either arginine or lysine;  
the residue at position 27 may be either histidine or arginine;  
the residue at position 51 may be either threonine or asparagine;  
the residue at position 55 may be either asparagine or histidine;  
the residue at position 81 may be either isoleucine or valine;  
the residue at any of positions 5, 8, 10, 11, 14, 17, 20, 31, 32, 33, 34, 36, 40, 43,  
44, 46, 47, 48, 49, 50, 52, 57, 59, 62, 66, 67, 68, 69, 70, or 71 may be any naturally  
occurring amino acid; and  
the residue at any of positions 37, 38, 39, or 65 may be any naturally occurring  
amino acid or may be absent;  
wherein the nucleic acid molecule encodes the polypeptide which is produced;  
under suitable conditions to express the polypeptide, and optionally  
(b) isolating the polypeptide from the culture.

Claim 59 (previously added): The polypeptide of any of Claims 9, 57, or 58, wherein the host cell  
is a eukaryotic cell.

Claim 60 (previously added): The polypeptide of any of Claims 9, 57, or 58, wherein the host cell  
is a prokaryotic cell.

Claim 61 (previously amended): An isolated polypeptide encoded by a nucleic acid molecule  
comprising a nucleotide sequence of a region of the nucleotide sequence of:

- (a) SEQ ID NO: 4; or
- (b) a DNA insert encoding a Secs-1 polypeptide in ATCC Deposit No. PTA-1755;

Sub  
Fig

wherein the nucleic acid molecule encodes a polypeptide fragment of at least about 25 amino acid residues, but not more than 80 amino acid residues, and wherein upon injection into an animal the polypeptide fragment produces an antibody that binds to the polypeptide set forth in SEQ ID NO: 5.

sr  
5/13/03 Claim 62 (<sup>currently</sup> ~~previously~~ amended): An isolated polypeptide encoded by a nucleic acid molecule having a nucleotide sequence encoding a polypeptide having the amino acid sequence:

Met Arg Leu Leu Xaa Leu Ser Xaa Leu Xaa Xaa Xaa Leu Xaa Leu Cys Xaa Xaa Xaa  
Xaa Ser Xaa Glu Gly Xaa Xaa Xaa Pro Ala Lys Xaa Xaa Xaa Xaa Arg Xaa Xaa Xaa Xaa  
Xaa Cys His Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Gly Xaa His Xaa Arg Xaa  
Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Trp Val Val Pro Gly Ala Leu Pro  
Gln Xaa (SEQ ID NO: 22),

EB

wherein the residue at position 12 may be either methionine or isoleucine;

the residue at position 18 may be either cysteine or serine;

the residue at position 19 may be either isoleucine or valine;

the residue at position 22 may be either serine or threonine;

the residue at any of positions 25, 26, 61, or 64 may be either arginine or lysine;

the residue at position 27 may be either histidine or arginine;

the residue at position 51 may be either threonine or asparagine;

the residue at position 55 may be either asparagine or histidine;

the residue at position 81 may be either isoleucine or valine;

the residue at any of positions 5, 8, 10, 11, 14, 17, 20, 31, 32, 33, 34, 36, 40, 43, 44, 46, 47, 48, 49, 50, 52, 57, 59, 62, 66, 67, 68, 69, 70, or 71 may be any naturally occurring amino acid; and

the residue at any of positions 37, 38, 39, or 65 may be any naturally occurring amino acid or may be absent.